





# **OILS AND CHEMICALS**



# Only Pro Honda offers oils and chemicals designed to the same exacting standards as your Honda motorcycle.

Nobody offers a more comprehensive line of motorcycle specific oils and chemicals than Pro Honda®. And nobody else crafts these products to the industry's most demanding standards… Honda's!

Pro Honda Oils and Chemicals are developed through the most severe test of performance and durability... professional racing. From the high banks of Daytona to the brutal Baja desert, Team Honda's racing motorcycles and ATVs put our products to the test at every event. Unlike some oils and chemicals that are based on automotive products, Pro Honda Oils and Chemicals are motorcycle-specific products designed to meet the unique demands of motorcycle and ATV riders and racers.

Take for example, Pro Honda's latest JASO-approved HP4S full synthetic four stroke engine oil. JASO stands for the Japanese Automobile Standards Organization. With strong input from Honda R&D, JASO established standards classifying the specific performance for motorcycle engine oils.

These standards were established to meet the higher demands of motorcycle engines. Compared to cars, motorcycle engines produce more power per displacement, run at higher RPM, and have both smaller capacity oil volumes and cooling systems. Plus... Motorcycles use their oil to lubricate their transmissions and clutches. Auto oils lack the ability to withstand the shear forces created by the transmission's gear teeth, which quite literally tear the oil molecules apart. Also... their anti-friction additives can cause a motorcycle's clutch to slip. Pro Honda's latest HP4S, though, is formulated especially for use in motorcycles and ATVs to offer the ultimate in performance on or off the track.

Everything Pro Honda offers... from 2-stroke oil, suspension fluids, coolant, brake fluid, air filter oils, chain lubes, cleaners, and other vital fluids is formulated to be the very best. They're what factory Honda race teams depend on to win! And nobody wins more National Motorcycle Championships than Honda.

Honda builds its Powersports products to the toughest engineering standards in the world. Pro Honda formulates its oils and chemicals to those same demanding standards, to keep your Honda running at its maximum performance. They're the very best motorcycle-specific products you can buy. And they are available exclusively at your Honda dealer.



















# Oils

### **Pro Honda HP45**

New Pro Honda HP4S is Honda's first fully synthetic 4-stroke motorcycle oil and was quite literally years in the making. HP4S is compatible with synthetic blends such as HP4, as well as regular petroleum oils like GN4. There is no need to flush the crankcases before switching to HP4S.

HP4S offers lower friction than conventional oils, better oxidation resistance for better high heat performance, higher film strength and quicker flow to vital engine parts at low temperatures, especially during start up. And best of all, HP4S provides maximum power due to less frictional drag. HP4S is recommended for use in all 2006 or newer motorcycles, ATVs, Scooters and PWC. It is quite simply put... our very finest four-stroke oil.

### **Pro Honda HP4**

Thanks to the establishment of JASO standards, HP4's extraordinary additive package offers increased anti-foaming qualities, higher viscosity index for stability over a broader range of temperatures, and even greater shear stability than most other oils. Naturally, HP4 blends the heat stability and shear resistance of synthetic oil with mineral oil's natural lubricity yielding premium quality four-stroke engine oil. Best of all, HP4 is approved for use in all Honda Powersports products.

#### **Pro Honda HP4M**

A synthetic/mineral oil blend that combines the very best qualities of both types, HP4M also features a comprehensive additive package and friction-reducing molybdenum compound for smoother shifting, maximum fuel economy and peak horsepower. HP4M... the Pro Honda oil good enough to win a multitude of AMA National roadracing championships as well as the grueling Baja 500 and 1000.

### **Pro Honda HP2**

Pro Honda HP2 is simply the finest 2-stroke oil money can buy. Premium synthetic base stocks with high film strength give maximum wear-protection, while allowing a crisp 32:1 mixture ratio. The extremely clean-burning formula minimizes carbon deposits, extends spark plug life and reduces maintenance on Honda Power Port and ATAC systems. Special additives minimize friction for cooler running, maximum horsepower and quicker throttle response.

## **Pro Honda GN4**

Honda set the standard for motorcycle oil when it introduced GN4 way back in 1975. We selected the highest-quality base stocks, and

created an additive package specifically designed for the unique requirements of motorcycle and ATV engines. As a matter of fact... we still do! Constant testing and development have evolved to give today's GN4 even better shear resistance, viscosity stability and cleanliness to meet the requirements and stresses of a new era of engine technology.

### **Pro Honda GN2**

Pro Honda GN2 is the only oil that has been tested and approved by Honda R&D for use in all older liquid cooled and air cooled 2-stroke Honda Motorcycles, ATVs and Scooters. Its unique clean-burning formula reduces exhaust smoke, carbon buildup, and varnish deposits, and helps prevent spark plug fouling, ring sticking, and exhaust plugging. GN2's superior lubrication extends service life for piston rings and bearings, and helps prevent against rust and corrosion.

### Pro Honda HP Trans Oil

Cutting edge high-performance racing transmission oil specifically formulated for all Honda CR® and FourTrax® 250R models. HP Trans Oil is also the hot tip for use in all Honda CRF 4-stroke transmissions. Transmission gears can whip conventional oil into a froth, and intense pressure at their teeth can lead to metal-to-metal contact. HP Trans Oil offers ultra-high film strength and shear stability to minimize transmission wear, while its high thermal stability prevents foaming and premature oil breakdown. Special antifriction additives allow smoother shifting, while minimizing drag and power loss. Anti-shear additives increase clutch life, reducing clutch slippage.



# **OILS AND CHEMICALS**





















Part Number	Honda Code	Description	Size	Multi.		
4-STROKE OILS						
08C35-SYN-1030M	8589731	HP4S Synthetic Oil 10W30	1 Qt.	12		
08C35-A141M02	3515020	HP4M 10W40 (Quart)	1 Qt.	12		
08C35-A251M02	3515038	HP4M 20W50 (Quart)*	1 Qt.	12		
08C35-A03W0M	7367758	HP4 0W30 (Quart)*	1 Qt.	12		
08C35-A14W0M	6613921	HP4 10W40 (Quart)	1 Qt.	12		
08C35-A25W0M	6613939	HP4 20W50 (Quart)*	1 Qt.	12		
08C35-A5201M01	6646442	GN4 5W30 (Quart)*	1 Qt.	12		
08C35-A131M01	8271108	GN4 10W30 (Quart)*	1 Qt.	12		
08C35-A141M01	3495272	GN4 10W40 (Quart)	1 Qt.	12		
08C35-A141L01	3535853	GN4 10W40 (Gallon)	1 Gal.	6		
08C35-A141X01	3536182	GN4 10W40 (Drum)*	55 Gal.	1		
08C35-A251M01	3495280	GN4 20W50 (Quart)*	1 Qt.	12		
08C35-A251L01	3535861	GN4 20W50 (Gallon)*	1 Gal.	6		
08C35-A251X01	3536190	GN4 20W50 (Drum)*	55 Gal.	1		
2-STROKE OILS						
08C35-AH21S01	3621919	HP2 Synthetic Racing Oil (32:1)	1 Pt	12		
08C35-AG21M01	3531621	GN2 Injector/Premix Oil (20:1)	16 fl. oz.	12		
2-STROKE TRANSMISSION OILS						
08C35-A851M01	3957446	HP Trans Oil SAE 80w/85w	16 fl. oz.	12		

<sup>\*</sup>not pictured

# Cleaners and Polishes

# **Pro Honda Metal Polish**

- Restores original luster to aluminum, chrome, and stainless steel surfaces.
- Restores original color and shine to most painted surfaces.\*
- Restores clarity to lightly scratched windscreens and faceshields.
- Also restores shine to lightly scuffed or discolored plastic lenses and bodywork.
- Lowest abrasion levels of popular brands.
- Recommended for the Gold Wing® and other fine motorcycles.

\*Use on non-textured surfaces only. For best results, test first on an inconspicuous area. See application instructions on back label.

## **Hondagloss Liquid Polish and Sealant**

- Cleans, polishes, seals, and protects in one easy application.
- Can be applied in any weather, including direct sunlight and rain.
- Safe for all painted surfaces including clear coats and decals.\*
- Excellent for windscreens, faceshields, shiny plastic, chrome, aluminum and other non-porous surfaces.
- Forms a protective shield against UV rays, acid rain, and pollutants.
- Unique formula contains no vellowing carnauba wax.
- Long-lasting shine protects for several months.
- Recommended for the Gold Wing and other fine motorcycles.

### **Honda Glare Professional Polish**

- New technology creates an ultra high-gloss penetrating sealant with "Glassplexin."
- Creates a rock-hard protective shield.
- For use on paint, fiberglass, chrome, glass, carbon fiber, plexiglass, and metal alloys.
- Protects against ultra-violet rays.
- Impervious to harsh detergents.
- Blocks out corrosion and oxidation.
- Best when used in conjunction with Honda Glare Ultra Wash.

# Honda Glare Ultra Wash

- Advanced vehicle wash.
- New technology with "Glassplexin" leaves your vehicle clean and glossy.
- Safe for all paints, including new clear coated paints.
- PH-balanced.
- Best when used in conjunction with Honda Glare Professional Polish.

## Spray Cleaner & Polish

- The #1 selling original industry standard.
- Exclusive Honda formula-superior performance at an economical price.
- Complete detailer in a can.
- Cleans road grime, grease, and bugs without water.
- Polishes paint, chrome, glass, and clear plastic.

<sup>\*</sup>Not recommended for matte finishes.



# Vital Fluids



- Protects vinyl, plastic, and rubber.
- Blocks UV rays to reduce fading and cracking.
- Repels water and makes it bead up like on a wax finish.
- Anti-static properties reduce dust buildup.

### Hondabrite™

- Cleans an entire motorcycle or ATV in just minutes.
- Removes dirt, oil, road grime, and insects.
- Cleans paint, chrome, alloy, and rubber.
- Contains powerful corrosion-inhibitors.
- Easy to spray on and hose off.
- Surface safe when used as directed.

### **Helmet Fresh**

- Keeps the interior of your helmet fresh and ready to go.
- Inexpensive and easy to use.
- A great way to keep the interior of your helmet clean and fresh smelling.
- Available with a 24 piece display stand or as refills.

Part Number	Honda Code	Description	Size	Multi.
08731-GLR-001	7696909	Honda Glare Polish	12 oz.	24
08732-GLR-002	7696917	Honda Glare Wash	12 oz.	24
08732-GLR-003	7934102	Glare Pack, Wash & Polish*	12 oz.	12 ea
08H21-HLM-002	7338072	Helmet Fresh w/Display*	4 oz.	24
08H21-HLM-001	7338064	Helmet Fresh Refill	4 oz.	24
08C20-A021S	4184107	Metal Polish	2 oz.	12
08C25-A081S	4184099	Hondagloss	8 oz.	12
08732-SCPSM	8989857	Mini Spray Cleaner & Polish	4 oz.	12
08732-SCP00	8837254	Spray Cleaner & Polish	12 oz.	12
08732-0020B	4075172	Hondabrite™ (Pump Spray)*	20 fl. oz.	12
08732-0032	3088127	Hondabrite™ Refill Pump	32 fl. oz.	12

<sup>\*</sup>not pictured

# Vital Fluids

## **HP Coolant**

- Exclusive formula developed by Honda R&D.
- · Specifically designed for use in aluminum engines.
- Uses high-tech organic corrosion inhibitors instead of more commonly used silicate corrosion inhibitors.
- Unlike silicates, HP Coolant's organic corrosion inhibitors won't gell and cause radiator plugging.
- The are also more stable for a longer shelf life and don't act as abrasives to mechanical water-pump seals which may cause leaky seals.

## **HP Fork Oil 5W**

- Friction-modified formula specifically engineered for the latest in suspension technology from Showa and KYB.
- Minimizes stiction and cavitation, providing optimum performance for all Honda inverted-fork suspension systems.

### **HP Fork Oil 55-47**

- Maintains peak performance during the most severe operating conditions.
- Dyno proven to reduce internal friction.
- Superior anti-foam, anti-fade and anti-wear characteristics.
- Original equipment on several 2007 and newer motorcycles.

### **55-7** 5W Suspension Fluid

- Genuine Showa fluid designed for use with cartridge type and standard forks, as well as rebuildable rear shocks including Pro-Link® systems.
- Replaces ATF recommendations in Owner's Manuals.
- Gold in color.

# **55-8 10W Suspension Fluid**

- Genuine Showa fluid designed for use with cartridge type or standard forks.
- Recommended for firmer handling or heavier loads.
- Bright red in color.

## **55-55 10W Suspension Fluid**

- Maintains peak performance on most severe operating conditions.
- Dyno proven to reduce internal friction.
- Superior anti-foam, anti-fade, and anti-wear characteristics.
- Original equipment on several 2003 and later motorcycle models.

# **OILS AND CHEMICALS**



# Wittel Fluide











## **Shaft Drive Oil**

- Single-application hypoid gear oil SAE 80W90.
- Approved for use in Honda Gold Wings and other shaft-drive motorcycles and ATVs.
- Exceeds API service classifications GL-4 and GL-5.

# Fuel Stabilizer by Sta-Bil®

- Genuine Sta-Bil formula eliminates the need to drain fuel for engines stored longer than 60 days.
- Prevents rust, corrosion, and fuel deposits.
- Available in convenient 8oz. and 32oz. bottles.

### **DOT 4 Brake Fluid**

- High-temperature formula for heavy-duty or racing applications
- Designed for use in all hydraulic brake and clutch systems requiring DOT 3 or DOT 4.

## Pro Honda Foam Air-Filter Maintenance Products by No Toil

- Eliminates the need for toxic chemicals when servicing air filters.
- Pro Honda biodegradable filter oil is super tacky, trapping more dirt yet flowing more air than conventional air filter oils resulting in superior performance.
- Pro Honda air filter cleaning system is available as a 3-piece kit containing filter oil, filter cleaner, and filter rim grease.

**Caution:** Cannot be used to clean filters already treated with conventional petroleum products.



Foam Air Filter Kit

Part Number	Honda Code	Description	Size	Multi.
08C50-C321S01	3922614	HP Coolant (Premix)	16 fl. oz.	12
08C35-A071M	4367041	HP Fork Oil 5W	32 fl. oz.	12
08208-0013	8629982	HP Fork Oil SS-47	16 fl. oz.	12
08208-0005	2963759	Susp Fluid SS-7 5W	16 fl. oz.	12
08208-0010	2963775	Susp Fluid SS-8 10W	16 fl. oz.	12
08208-0012	8191959	Susp Fluid SS-55 10W	16 fl. oz.	12
08207-NTL-001	7422389	Kit, Foam Air Filter Oil	N/A	12
08207-NTL-002	7422397	Oil, Foam Air Filter*	16 oz.	12
08207-NTL-003	7422405	Cleaner, Foam Air Filter*	16 oz.	12
08207-NTL-004	7422413	Sealer, Foam Air Filter*	4 oz.	12
08207-NTL-005	7489925	No Toil Air Box Service Sticker*	-	12
08203-0004	2963734	DOT 4 Brake Fluid	12 fl. oz.	12
08732-0001	2874451	Fuel Stabilizer	8 fl. oz.	12
08732-0033	7341688	Fuel Stabilizer	32 fl. oz.	12
08208-0080	2963742	Shaft Drive Oil	8 fl. oz.	12

<sup>\*</sup>From kit

# **Service and Maintenance**

# Chain Lube with White Graphite

- Advanced technology for the ultimate in lubrication and protection.
- Contains White Graphite for superior lubrication.
- Resists wear and weather for long-lasting lubrication.
- Compatible with both 0-ring and non 0-ring chains.
- Works at both high and low temperature extremes.
- No-fling formulation.

# **Chain Lube with Moly**

- Contains Moly and PTEF for superior lubrication.
- Resists wear and weather for long-lasting lubrication.
- Compatible with both 0-ring and non 0-ring chains.
- Works at both high and low temperature extremes.
- Contains no chlorinated solvents or CFC's.
- No-fling formula.







### White Lithium Grease

- Heavy duty general purpose lubricant.
- Penetrates between parts to provide deep long-lasting lubrication
- Displaces moisture and protects against rust and corrosion.
- Works at both high and low temperature extremes.
- White color shows coverage to help insure complete application.
- Low VOC formula meets current CARB and OTC standards
- Contains no chlorinated solvents or CFCs.

# Silicone Spray

- Lubricates plastics, rubber and vinyl.
- Eliminates sticking and squeeking.
- Safe for painted surfaces.
- Colorless formula will not stain surfaces.
- Provides lubrication from -80° F to +600° F.

### **Hondalube/Rust Penetrant**

- Displaces moisture and protects against rust and corrosion.
- Frees rusted parts.
- Lubricates all metal surfaces.
- Low VOC formula meets current CARB and OTC standards.
- Contains no chlorinated solvents or CFCs.

# Contact/Brake Cleaner (Low VOC, Non-Chlorinated)

- Removes grease and oil quickly.
- Cleans brake drums, liners, cylinders, and springs.
- Safe for most plastics.
- Dries fast with no residue.
- Low VOC formula.
- Contains no chlorinated solvents or CFCs.
- NOT available in California.



# Contact/Brake Cleaner (Ultra-Low VOC, **So.** California Compliant)

- · Removes grease and oil quickly.
- Cleans brake drums, liners, cylinders, and springs.
- Safe for most plastics.
- Meets SCAQMD Rule 1171 requirements for unlimited use.
- Ultra-Low VOC non-chlorinated formula.

# Carburetor Cleaner (Non-Chlorinated, 50 State Legal)

- Cleans throttle and choke linkages.
- Decarbonizes intake and emission system components.
- Computer oxygen sensor safe.
- Ultra-Low VOC non-chlorinated formula.
- Legal in all 50 States.

## Glass Cleaner

- Quick-foaming formula cleans glass, mirrors, headlights, and chrome surfaces without streaking.
- Available in 12oz. aerosol cans or 12oz. pump spray containers
  Note: Not pictured, available in Honda Automotive packaging only.

Part Number	Honda Code	Description	Size	Multi.
08732-CBCCA	8837338	Contact/Brake Cleaner, Non Chlorinated (Calif Legal)	15 oz.	12
08732-CBL49	8837320	Contact/Brake Cleaner (49 state)	15 oz.	12
08732-CLG00	8837262	Chain Lube, White Graphite	11 oz	12
08732-CLM00	8837270	HP Chain Lube/Moly	11 oz.	12
08732-RP000	8837304	Hondalube/Rust Penetrant	12 oz.	12
08732-WLG00	8837288	White Lithium Grease	12 oz.	12
08732-SS000	8837296	Silicone Spray	12 oz.	12
08700-9205	8825911	Glass Cleaner (Aerosol)*	12 oz.	12
08700-9212	8867509	Glass Cleaner (Pump Spray)*	12 oz.	12
08732-CC000	8837346	Non Chlor Carb Cleaner (50 state)	15 oz.	12
08798-9007	4414405	Grease, CV Joint Outer*	5 oz.	12
08734-0002	6101596	Unirex N3 Grease*	4 oz.	12

<sup>\*</sup>not pictured

# **OILS AND CHEMICALS**



# Assembly and Repair



# Assembly and Repair

### **Anti Seize**

- Protects against rust and corrosion caused by chemicals.
- Provides excellent protection over an extended period for threaded fittings.
- Waterproof.
- Prevents metal parts from galling and seizing.
- Protects against temperatures up to 2600° F.

# **Moly 60 Paste (Not Pictured)**

- 60-percent Moly grease formula.
- Contents are solid and will not separate at room temperature.
- Recommended for gears, bearings and other high-pressure, high-temperature applications.
- Use on Pro-Link linkages where Moly 45 is recommended.

# Other Greases Available but Not Pictured

- CV Joint Outer Grease
- Unirex N3 Grease
- Marine Grease



### **Hondalock 1**

- Low-strength blue colored threadlock for frequently removed and/or low-torque fasteners.
- Protects against corrosion and wear.
- Resists vibration, moisture and most chemicals.

### **Hondalock 2**

Medium strength orange colored threadlock for medium-torque fasteners.

#### **Hondalock 2HT**

 Hight-temperature red colored threadlock for medium-torque fasteners in high-temperature applications such as cylinder head exhaust studs.

### **Hondalock 3**

- High-strength green colored threadlock for semi-permanent and/or high-torque fasteners.
- Helps retain gears, bearings and pulleys to their shafts.

### **Hondabond HT**

- High-temperature silicone liquid gasket.
- Unique formula is non-acidic and won't corrode aluminum like other silicon gasket products will.
- For use in applications not requiring solid gaskets.

#### Hondabond 4

- Semi-drying liquid gasket.
- Seals irregular surfaces with a tough, elastic film.
- Solvent-based for easy removal; also resists gasoline.

### **Weatherstrip Cement**

- Permanent, waterproof cement that remains elastic after drying.
- Adheres to rubber, plastic and metal.
- Glues in loose o-rings during assembly.
- Excellent for vinyl and leather repairs.

# **Handgrip Cement**

- Required when installing PVC-type handgrips.
- Ideal for use on rubber handgrips, footpeg covers, plus kickstart and shift pedal rubbers.

#### **Dielectric Grease**

- · Non-conductive waterproofing compound.
- Insulates electrical connections and adheres to most surfaces, sealing out moisture, dirt, and corrosion.



# Pro Honda Accessories



Part Number	Honda Code	Description	Size	Multi.
08734-0003	7342454	Marine Grease*	14 oz.	10
08713-0001	2963825	Hondalock 1	10 сс	6
08713-0002	2963833	Hondalock 2	10 сс	6
08713-0004	2963858	Hondalock 2HT	10 сс	6
08713-0003	2963841	Hondalock 3	10 сс	6
08712-0002	2963882	Weatherstrip Cement	5 oz.	6
08717-1194	8968091	Hondabond 4	3.5 oz.	6
08718-0004	8263386	Hondabond HT	3.5 oz.	1
08712-0001	2963874	Handgrip Cement	1 oz.	6
08734-0001	2963866	Moly 60 Paste	3 oz.	1
08732-AS000	8837312	Anti Sieze	8 oz.	12
08798-0001	2963890	Dielectric Grease	5 oz.	6

<sup>\*</sup>not pictured

# Tire Sealant

## **ATV Flat Proof**

- Easy cleaning, water-soluble formula.
- Contains a rust inhibitor that prevents corrosion.
- Easy installation requires no tire removal.
- Seals punctures up to 4mm in diameter.
- Available in convenient 16oz. bottles and 5 gallon pails.

Part Number	Honda Code	Description	Size	Multi.
08718-00AMM	7005903	ATV Flat Proof	16 fl. oz.	12
08718-06MG0	7005911	ATV Flat Proof*	5 gal Pail	1

<sup>\*</sup>not pictured



# Pro Honda Accessories

## Pro Honda Tie-Down Set

- White zinc plated cam buckle with Honda logo.
- Offered in Red, Black, and Blue colors.
- Includes two 5.5' long x 1" wide webbed straps.
- 1200 lb. tensile strength.
- Vinyl coated S-hooks.
- Includes 2 soft straps.



# Pro Honda Helmet Bag

- Heavy-duty Cordura nylon shell for strong, weather-resistant storage.
- Faux fur interior lining protects against scratches.
- Internal pocket stores spare faceshield.
- Bottom slot allows helmet strap D-rings to fit most helmet locks.
- Removable shoulder strap for convenient "hands free" carrying.
- Black with a distinctive red Honda wing logo and red piping.

# **OILS AND CHEMICALS**



# Pro Clouds Avansandes



### **Pro Honda Fast Funnel**

- Disposable handy funnel that is sold as a 3-pack.
- Folds flat for easy storage.
- Convenient, inexpensive, and compact, stores easily.
- Eliminates contamination, no need to clean funnels between uses.
- Sold in dealer multiples of 36 3-packs.

## Pro Honda Cam Chain Tensioner Holder

- Fits CRF250R/X, CRF450R/X, TRX450R/R, and XR650R off-road machines.
- Also fits ST1300, VTR1000, VF750C, 599, CBR600RR and CBR1000RR street machines.
- Negates the need for sloppy homemade tools.
- Features a tiny 1-way Sprague clutch.

# Pro Honda Optimate3+ Automatic 5 Stage Battery Charger

- Automatically recovers, monitors, and maintains all types of 3.5 to 32 amp-hour Power Sports batteries.
- Utilizes an advanced diagnostic program to detect and deter sulfates.
- Breathes new life into most neglected batteries.
- A "must-have" for PWC owners or in cold-weather climates.
- Optional Extension Cable, Gates Adaptor, and Weather Proof Eyelet Cable w/Fuse are available separately.

### **Pro Honda Mini Compressor**

- 43/4" tall by 33/4" wide 300 psi DC compressor.
- Rugged Pro Honda branded carrying case.
- 2 tire gauges: 0-10 psi and 10-50 psi.
- 18" Air Hose.
- 14" Lighter Plug-in Power Cord.
- 14" Alligator Clip to Battery Power Cord.
- 14" Pre-wire to Battery Power Cord.
- 8' Main harness with fuse Power Cord.
- Durable and affordable.

# Pro Honda Cam Sprocket Holder

- Durable tool steel construction.
- Stabilizes camshaft for easy sprocket bolt removal.
- Fits CRF450R/X and TRX450R/ER.

## Pro Honda No-Spill Gas Cans

- CARB approved in convenient 1.25, 2.5, and 5.0 gallon sizes.
- Feature a thumb button controlled, auto-stop fuel spout.
- Fuel flow automatically stops when fuel reaches the edge of the spout.
- High flow rate with stainless steel filter screen.
- Meets state fuel can requirements in CA, CT, DC, DE, MD, ME, NJ, NY, and PA.









Part Number	Honda Code	Description	Size	Multi.
09L00-YXB-10TDR	7395973	Tie Down Set w/straps (red)	N/A	6
09L00-YXB-10TDB	7395841	Tie Down Set w/straps (black)	N/A	6
09L00-YXB-10TDL	8854234	Tie Down Set w/straps (blue)	N/A	6
31670-BMS-004	8988891	Optimate Battery Charger	N/A	1
31670-BMS-002	8124083	8' Extension Cable*	N/A	1
31670-BMS-003	8124091	Gates Adapter*	N/A	1
31670-BMS-001	8124075	Weatherproof Cable (w/fuse)*	N/A	1
31670-NEP-000	8819872	Mini Compressor	N/A	1
08H21-BAG-001	7624950	Honda Helmet Bag	N/A	1
08C25-FST-000	7670060	Fast Funnel (Pk of 3)	N/A	36
07AMG-001A100	7992522	Cam Chain Tensioner Holder	N/A	1
07AMB-MEBA100	8159980	Cam Sprocket Holder	N/A	1
06176-1415	8553067	No-Spill Gas Can	1.25 Gal	4
06176-1405	8492829	No-Spill Gas Can	2.5 Gal	4
06176-1450	8492837	No-Spill Gas Can	5.0 Gal	4
06176-6131	8497232	No-Spill Nozzle Assy.*	N/A	1
06176-6210	8497224	Spout w/Screen*	N/A	1
06176-6234	8497216	Nozzle & Cap Gasket*	N/A	1
06176-0206	8558637	No-Spill Spout 6" Extension*	N/A	12

<sup>\*</sup>not pictured





# Be a Responsible Rider

ATVs can be hazardous to operate. For your safety, wear a helmet, eye protection, and protective clothing, and never ride on paved surfaces or public roads. Never carry passengers, and never engage in stunt riding. Avoid excessive speeds and be particulary careful on difficult terrain. And keep in mind that riding doesn't mix with drugs and alcohol.

All Honda FourTrax models are recommended for only riders 16 years of age and older. Honda recomments that all ATV riders take a training course and read their owner's manual thoroughly. New ATV purchasers should take advantage of free ATV Safety Institute (ASI) training and completion incentives. For safety or training information see your Honda dealer or call the ASI at (800) 887-2887.

Riding a motorcycle is an exercise in responsibility-to yourself, to others, to the environment and to the sport. So remember, wear a helmet, eye protection and protective clothing whenever you ride. Never ride under the influence of drugs and alcohol, and never use the street as a race track. Inspect your motorcycle before riding, read your owner's manual and see your local Honda dealer concerning reimbursement through the Honda Rider's Club of America for Motorcycle Safety Foundation rider training.

Always obey local laws, use common sense and respect the rights of others when you ride. Make sure you have a proper license when riding on public roads. Always obtain written permission before riding on private land.

Whenever you ride off-road, follow the U.S. Forest Service's "TREAD LIGHTLY!" guidelines, and always stay on established trails in approved riding areas. Keep your riding area clean, respect the rights of others and never modify your motorcycle's silencer, spark arrestor or exhaust system. Honda CRs, CRFs and XR-Rs are designed exclusively for off-road operator-only use.

You can get off to a great start by joining the Honda Rider's Club of America. The benefits alone make it a bargain, and you'll meet some great friends, too. Just call (800) 847-HRCA for details.

Specifications and availability subject to change without notice. Rearview mirrors are standard equipment on all Honda streetbikes. CBR®, CR®, CRF®, FourTrax®, Gold Wing®, Honda®, HRCA®, Pro Honda®, Pro-Link®, HondaBrite™, Hondagloss™, Honda Rider's Club of America™ and XR™ are Honda trademarks. All other trademarks are property of their respective owner.

